

424 TR

424 HS





## KEEPS YOUR CITY CLEAN.

2 | 3 → Green Machines → Introduction → The city as a living environment

First impressions count. This does not only apply to people but also to towns, cities and municipalities. Neat and tidy public green areas, roads and paths do not only contribute to a good image for visitors and the local inhabitants, but are also a sign of a council which works perfectly. And they encourage people to keep the city clean and tidy. As far as cleaning is concerned, many details and secondary effects are important, especially as viewed by a critical public.

For many years now, Green Machines have aimed to contribute decisively towards cleaner and tidier towns and cities by providing efficient and sophisticated sweeping machines. We have managed to enhance the performance


of all Green Machines with conventional drive systems thanks to a host of clever details. For a city, its inhabitants, the environment and for all those who handle it on a daily basis. Welcome to Green Machines!

# 400

Smart design for enhanced sweeping performance.



Green Machines → 400 THE CITY IS THEIR TERRITORY. **Efficient street** cleaning and refuse disposal: 400.



# **TECHNICAL** SPECIFICATIONS.







		SYS

400

Cleaning path: Minimum	1,170 mm
Sweeping Brush diameter	470 mm
Brush Reach (Beyond Front of Unit)	440 mm
Volume capacity (max)	284 L
Disposable Bag Size	
(Standard Trash Bag)	30 - 55 Gal I 110 - 200 L
Vacuum Impeller Diameter	420 mm
Vacuum Hose Diameter	200 mm

Air Sweeper

2.2 m

100 mm

## Wander Hose: Lenath DUST CONTROL SYSTEM

Dust Filtration System Two Stage Filtration Stage 1: Nylon Debris Screen Stage 2: Synthetic Dual Material Washable Filter Baa

Side brush water spray dust control

### PROPELLING SYSTEM

Engine-STAGE V	8.2 kW
Fuel Capacity	9.5 L
Fuel Consumption per hour (estimate)	1 L
Travel speed	
Model 414 S2D & 414 RS, up to	8.8 km/
Model 424 TR, up to	8.8 km/
Model 424 HS, up to	16 km/
Reverse, up to	4.8 km/
Sweeping speed	8 km/

Model 424 TR

Model 424 HS Turning Circle (between walls)

Model 414 S2D & 414 RS

Model 424 TR & 424 HS

MACHINE DIMENSIONS	
Width: All Versions	1,140 mm
Length	
Model 414 S2D	2,510 mm
Model 414 RS	2,997 mm
Model 424 TR & 424 HS	3,550 mm
Height	
Model 414 S2D	1,143 mm
Model 414 RS	1,243 mm
Model 424 TR & 424 HS	1,397 mm
Model 424 TR & 424 HS with Cab	1,954 mm
Weight	
Model 414 S2D	400 kg
Model 414 RS	440 kg

High Speed Machine with

Stopping Distance (25 %/11° Grade) 610 mm 414 S2D Standard Machine

520 kg

545 kg

1,350 mm

2,400 mm

414 RS extendable seat

424 TR

Machine with comfortable two-wheeled suspension seat

comfortable two-wheeled suspension seat







- Green Machines International B.V.
  The Netherlands
- +389 43 551 100
- office@greenmachines.com
- www.greenmachines.com

- Green Machines Veles DOO

  North Macedonia
- +389 43 551 100
- office@greenmachines.com
- www.greenmachines.com

- Green Machines Aftermarket
  Romania
- +40 371 323 827
  - +40 733 989355
- aftermarket@greenmachines.com parts@greenmachines.com
- www.greenmachines.com

- Green Machines Sweepers UK Ltd. United Kingdom
- Sales: +44 (0) 1324 611666 Spares: +44(0)1324 578880
- sales@greenmachines.com spares@greenmachines.com
- www.greenmachines.com