



414 RS

424 TR

424 HS





# KEEPS YOUR CITY CLEAN

2 | 3 → Green Machines → Introduction → The city as a living environment

First impressions count. This does not only apply to people but also to towns, cities and municipalities. Neat and tidy public green areas, roads and paths do not only contribute to a good image for visitors and the local inhabitants, but are also a sign of a council which works perfectly. And they encourage people to keep the city clean and tidy. As far as cleaning is concerned, many details and secondary effects are important, especially as viewed by a critical public.

For many years now, Green Machines have aimed to contribute decisively towards cleaner and tidier towns and cities by providing efficient and sophisticated sweeping machines. We have managed to enhance the performance

of all Green Machines with conventional drive systems thanks to a host of clever details. For a city, its inhabitants, the environment and for all those who handle it on a daily basis. Welcome to Green Machines!


# 400

Smart design for enhanced sweeping performance.



THE CITY IS THEIR TERRITORY.

Efficient street cleaning and refuse disposal: 400.



# **TECHNICAL** SPECIFICATIONS.







CV	VE	EΡ	INI	^	CI	10

400

Cleaning path: Minimum	1,170 mm	
Sweeping Brush diameter	470 mm	
Brush Reach (Beyond Front of Unit)	440 mm	
Volume capacity (max)	284 L	
Disposable Bag Size		
(Standard Trash Bag)	30 - 55 Gal I 110 - 200 L	
Vacuum Impeller Diameter	420 mm	
Vacuum Hose Diameter	200 mm	
Wander Hose: Length	2.2 m	

Air Sweeper

100 mm

# DUST CONTROL SYSTEM

Dust Filtration	System Two Stage Filtration
Stage 1:	Nylon Debris Screen
Stage 2:	Synthetic Dual Material Washable
-	Filter Bag

Side brush water spray dust control

# PROPELLING SYSTEM

	Engine-STAGE V	8.2 kW
- 1	Fuel Capacity	9.5 L
- 1	Fuel Consumption per hour (estimate)	1 L
-	Travel speed	
1	Model 414 S2D & 414 RS, up to	8.8 km/h
- 1	Model 424 TR, up to	8.8 km/h
- 1	Model 424 HS, up to	16 km/h
- 1	Reverse, up to	4.8 km/h
;	Sweeping speed	8 km/h
;	Stopping Distance (25 %/11° Grade)	610 mm

414 S2D Standard Machine

## MACHINE DIMENSIONS

Model 424 HS Turning Circle (between walls)

Model 414 S2D & 414 RS

Model 424 TR & 424 HS

MACHINE DIMENSIONS	
Width: All Versions	1,140 mm
Length	
Model 414 S2D	2,510 mm
Model 414 RS	2,997 mm
Model 424 TR & 424 HS	3,550 mm
Height	
Model 414 S2D	1,143 mm
Model 414 RS	1,243 mm
Model 424 TR & 424 HS	1,397 mm
Model 424 TR & 424 HS with Cab	1,954 mm
Weight	
Model 414 S2D	400 kg
Model 414 RS	440 kg
Model 424 TR	520 kg

Machine with comfortable two-wheeled suspension seat

High Speed Machine with comfortable two-wheeled suspension seat

545 kg

1,350 mm

2,400 mm

414 RS extendable seat

424 TR







- Green Machines International B.V.
  The Netherlands
- +389 43 551 100
- office@greenmachines.com
- www.greenmachines.com

- Green Machines Veles DOO

  North Macedonia
- +389 43 551 100
- office@greenmachines.com
- www.greenmachines.com

- GREEN MACHINES INC. 1601 Kettner Blvd., Unit 30 San Diego, CA 92101
- +1-619-776-9926
  - +1-619-389-8953
- ussales@greenmachines.com
- www.greenmachines.com

- GM Sweepers UK Ltd.
  United Kingdom
- Sales: +44 (0) 1324 611666 Spares: +44(0)1324 578880
- sales@greenmachines.com spares@greenmachines.com
- www.greenmachines.com